isaybox® 方糖



www.steelformchina.com

Company Profile

Beijing Jianxingtai Furniture Co., Ltd.

北京键兴泰家具有限公司 企业简介

1. Founded in Beijing in 2001, the company has a 25-year history.
于2001年在北京建厂，至今已有25年历史。

2. It is a comprehensive manufacturer of modern smart furniture, with steel-and-wood construction as its core structure.
以钢本结合为主体，现代智能智造家具综合性企业。

3. The company is certified as a National High-Tech Enterprise, a National Specialised and Innovative SME, and a Cleaner Production Enterprise.
荣获“国家高新企业”、“专精特新企业”、“清洁生产”的企业。

4. For many consecutive years, we have served as a designated supplier for the Government Procurement of Organs Directly under the CPC Central Committee, the Central Government Procurement Center, and the Beijing Municipal Government Procurement Center.
连续多年“中共中央直属机关政府采购”，“中央国家机关采购中心”“北京市政府采购中心”定点供应商。

5. The steelform® Guojian brand specialises in educational and office furniture and offers one-stop smart-connected library solutions.
steelform®国键品牌，专注于教育与办公家具行业，核心是构建一站式智联图书馆。

6. The isaybox® Fangtang brand specializes in the design and manufacture of room-in-room system products such as acoustic pods, mother-and-baby rooms and wellness oxygen cabins.
isaybox®方糖品牌，专注于静音舱/母婴室/疗愈氧舱等房中房系统的产品设计与制造。



High-Tech Enterprise
高新技术企业



Beijing SRDI SME
北京市专精特新企业



Zhongguancun High-Tech Enterprise
中关村高新技术企业



Patents
多项发明、实用新型及外观专利



Five-Star After-sales Service
售后服务五星认证



Cleaner Production Enterprise
清洁生产企业



Green Supply Chain Cert.
绿色供应商认证



China Environmental Label
中国环境标志产品




China Eco Product
中国环保产品



Low-VOCs FurnitureProduct Certificate
低 VOCs 家具产品认证


isaybox® 方糖







Nine Characteristics of Class-A Fire-Rated Acoustic Pod




A级防火静音舱九大特点




Fire-rating 防火等级	1 Wall panels are Class-A fire-rated. The wall assembly passes the fire resistance test of 120 min. (Test reports are available upon request.)	1 墙板采用A级防火材料 ， 墙体耐火测试达到120 min（可提供检测报告）。
Electrical Certifications 电器认证	2 Certifications for 3C, CE, UL and GCC are available upon request.	2 可提供电器3C/CE/UL/GCC认证
Sound Insulation Performance 隔音性能	3 Wall sound-reduction index: 35 dB (±5 dB). Test report issued by Center for Building Environment Test, Tsinghua University. Overall pod sound-reduction index: 25.8 dB. ISO 23351-certified international test reports are available upon request.	3 墙体隔声系数：35dB（±5dB） 由清华大学建筑环境检测中心提供的检测报告 静音舱整舱隔音系数： 25. 8dB 可提供国际认证的ISO23351检测报告
Air Quality 空气质量	4 Whole-pod formaldehyde emission: 0.042 mg/m³,-meeting the E0 emission standard.Test reports from an CMA-accredited laboratory are available upon request.	4 整舱甲醛释放量检出为0. 042mg/m³, 指标优于E0级限值。 可提供具备CMA认证资质实验室提供的检测报告
Lighting & Airflow 照明风量	5 Equipped with integrated control switches. Both lighting brightness and air-flow rate are adjustable according to usage requirements.	5 配备集成调节开关， 可根据使用需求调节灯光照度，调节风量大小
Air Circulation 空气流通	6 Taking the small-size pod as an example, complete indoor-outdoor air exchange is achieved every 53 seconds.	6 以小号舱为例，每53秒室内外空气更换一次
Core Hardware Fittings 核心五金	7 Concealed pivot hinge: prevents door deformation caused by gravity. Concealed self-closing mechanism: the door stays open at 90°; it closes automatically for opening angles below 90°. Magnetic lock: high safety and elegant appearance.	7 天地轴隐藏式合页：门不会因重力产生变形； 隐藏式自回装置：门开启状态 90° 悬停，低于90° 则自动关门； 磁吸锁：安全性高，美观性好
Main Construction Materials 主体材质	8 Wall: The wall panels are made of Class A fire-resistant materials, and the wall body hasachieved a fire resistance test result of 120 min. Glass Door: 4+4 mm ultra- clear toughenedlaminated transparent glass	8 墙体：墙板采用A级防火材料 ， 墙体耐火测试达到120 min。 玻璃门：4+4mm超白钢化夹胶透明玻璃
Mobile Base 移动底座	9 Mobile Base is available as an optional accessory.	9 可以选配移动底座



1. System	isaybox Fangtang X100 Series isaybox方糖 X100系列		
Size Width × depth × height 宽 × 深 × 高	 X100-S	 X100-M	 X100-L
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1100 × 1100 ×2190 mm 876 × 900 ×2020 mm	1660 × 1460 × 2190 mm 1436 × 1260 × 2020 mm	2220 × 1460× 2190 mm 1996 × 1260 × 2020 mm
Suitable for 适用于	1 person	1-2 persons	4-6 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 53 sec.	in 71 sec.	in 53sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop	Table, coffee table, sofa	Table, soft
3. Configuration examples 使用示例	 X100-S1  MB-S1 Mobile Base 移动底座	 X100-M1  X100-M2	 X100-L4  X100-L6




1. System	isaybox Fangtang R100 Series isaybox方糖 R100系列		
Size Width × depth × height 宽 × 深 × 高	 R100-S	 R100-M	 R100-L
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1100 × 1100 ×2190 mm 876 × 900 ×2020 mm	1660 × 1460 × 2190 mm 1436 × 1260 × 2020 mm	2220 × 1460× 2190 mm 1996 × 1260 × 2020 mm
Suitable for 适用于	1 person	1-2 persons	4-6 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 53 sec.	in 71 sec.	in 53 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop	Table, coffee table, sofa	Table, soft
3. Configuration examples 使用示例	 R100-S1  MB-S1 Mobile Base 移动底座	 R100-M1  R100-M2	 R100-L4  R100-L6








1. System	isaybox Fangtang R50 Series isaybox方糖 R50系列		
Size Width × depth × height 宽 × 深 × 高	 R50-S	 R50-M	 R50-L
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1100 × 1100 ×2190 mm 976 × 900 ×2020 mm	1660 × 1460 × 2190 mm 1536 × 1260 × 2020 mm	2220 × 1460× 2190 mm 2096 × 1260 × 2020 mm
Suitable for 适用于	1 person	1-2 persons	4-6 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 53 sec.	in 71 sec.	in 53 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop, sofa	Table, coffee table, sofa	Table, soft
3. Configuration examples 使用示例	 R50-S1 R50-S2 R50-S3 MB-S1 Mobile Base 移动底座	 R50-M1 R50-M2	 R50-L4 R50-L6

1. System	isaybox Fangtang AR50 Series isaybox方糖 AR50系列		
Size Width × depth × height 宽 × 深 × 高	 AR50-M1	 AR50-M2	 AR50-L
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1660 × 1460 × 2190 mm 1498 × 1260 × 2020 mm	1660 × 1460 × 2190 mm 1498 × 1260 × 2020 mm	2220 × 1460× 2190 mm 2020 × 1260 × 2020 mm
Suitable for 适用于	1 person	2 persons	4-6 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 71 sec.	in 71 sec.	in 53 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop	Table, ccoffee table, sofa	Table, soft
3. Configuration examples 使用示例	 AR50-M1L AR50-M1R	 AR50-M2L AR50-M2R	 AR50-L4 AR50-L6

1. System	isaybox Aishen Model 1 isaybox爱神1号		
Size Width × depth × height 宽 × 深 × 高	 is10-S1	 is10-L1	 is10-L4
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1608× 1278 ×2200 mm 1410 ×1072 ×2124 mm	1980× 1608 ×2200 mm 1800 ×1410 ×2124 mm	1980× 1608 ×2200 mm 1800 ×1410 ×2124 mm
Suitable for 适用于	1 person	1 persons	4 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 65 sec.	in 93 sec.	in 93 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop	Tabletop	Table, soft
3. Configuration examples 使用示例	 is10-S1	 is10-L1	 is10-L4H  is10-L4L

1. System	isaybox Aishen Model 2 isaybox爱神2号		
Size Width × depth × height 宽 × 深 × 高	 is20-S	 is20-M	 is20-L
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1025 × 1050 ×2190 mm 875 × 900 ×2020 mm	1598 × 1410 × 2190 mm 1448× 1260 × 2020 mm	2170 × 1410× 2190 mm 2020× 1260 × 2020 mm
Suitable for 适用于	1 person	1-2 persons	4-6 persons
Examples of use 使用示例	phone calls	focused work video and web conferences working in pairs	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 53 sec.	in 71 sec.	in 53 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop,sofa	Table, coffee table, Sofa	Table, soft
3. Configuration examples 使用示例	 is20-S1  MB-S2 Mobile Base 移动底座	 is20-M1L  is20-M1R  is20-M2L  is20-M2R	 is20-L4L  is20-L6

1. System	isaybox Fangtang Live Broadcast Booth / Modular Meeting Room isaybox方糖　直播间/装配式会议室		
Size Width X depth X height 宽 X 深 X 高			
External Dimensions 外尺寸 Clearance Dimensions 净空尺寸	1660 × 2110×2190 mm 1548 × 1798×2020 mm	3152 × 3152×2190 mm 2922×2946 ×2020 mm	4135 × 3152×2190 mm 3923×2946 ×2020 mm
Suitable for 适用于	1-2persons	4-6persons	6-8 persons
Examples of use 使用示例	live studio video conferences	video conferences brainstorming sessions meetings	video conferences brainstorming sessions meetings
2. Technical details 技术细节			
Complete air exchange 换气时间	in 80 sec.	in 80 sec.	in 110 sec.
Floor 地板	carpet		
Door opening 开门方向	Right-hand Outward Opening Door		
Power supply 电源	optional via the ceiling or wall possible		
Lighting 照明	18W (4000K Natural Light, Illuminance: 300 – 400 lux)		
Furnishings 家具配置	Tabletop	Meeting Island, Discussion Table	Meeting Island, Discussion Table
3. Configuration examples 使用示例			

1. System	isaybox Fangtang Linkway isaybox方糖　连廊	
	 R50-S2 + R50-S1 4400× 1100×2190 mm	 L-900 900× 2200×130 mm
	 R50-M1 + R50-M2 5520× 1460×2190 mm	 L-1180 1180× 2200×130 mm
	 AR50-M1L + AR50-M2R 5520× 1460×2190 mm	 L-1180 1180× 2200×130 mm
	 AR50-M1L + R50-L4 6080× 1460×2190 mm	 L-1180 1180× 2200×130 mm



Color Options
颜色可选

Wall Panels (Color selection is subject to the quotation)
墙板(具体颜色选择以报价单为准)

S1 Pure White 澄心白
S3 Clear Elegant Grey 清雅灰
S5 Classic Grey 经典灰
S6 Elegant Brown 典雅咖
S10 Qianshan Green 千山翠
S11 Cloud Water Blue 云水蓝

Door Leaf / Glass Retainer
门扇/玻璃压条

S5 Classic Grey 经典灰

Interior Acoustic Panel Colors
内饰吸音板可选色

Silver Grey 银灰
Dark Grey 深灰

Exterior Acoustic Panel Colors
外饰吸音板可选色

Silver Grey 银灰
Yellow 黄色
Reddish Brown 褐红
Dark Green 墨绿

Wall Panels(50 system)
墙板(50系列)

Writing Board 书写白板

Sofa Fabric Colors
沙发布料可选色

LE9140B-04
LE9140B-08
LE9140B-17
LE9140B-27
LE9140B-33
LE9140B-49
LE9180-01
LE9180-04
LE9180-07
LE9180-08
LE9180-14
LE9180-15

Standard Carpet Color
地毯标准色

Dark Grey 深灰

Standard Wood Panel Color
木板标准色

Xingyu Yellow Rosewood 星雨黄檀

※ Colors are subject to the actual product.
颜色以实物为准

WeChat Official Acct.
公众号

Domestic Sales
中国销售

杨小姐 Ms.Faviana Yang
+86 13810479078
603779033@qq.com

International Sales
海外销售

梁先生 Mr. James Liang
+86 13911857293
james. liangjing@139.com